





TABLE 1: WIRE RUN	
SAE CONNECTOR	WIRE COLOR
2 (GND)	GREEN
2 (GND)	BLACK
1 (+28VDC)	WHITE
2 (+28VDC)	RED

SAE CONNECTOR PINOUT
(MATING FACE VIEW)



- OPERATIONAL NOTES:**
- INPUT VOLTAGE: 100-240 VAC.
 - OUTPUT VOLTAGE: 28VDC @ 7.86 AMPS MAX.
 - INCLUDES POWER CABLE (NOT SHOWN)

BILL OF MATERIALS			
ITEM NO.	PART NO.	QTY	NAME/DESCRIPTION
1	PMP220-15	1	28VDC, 220W POWER SUPPLY
2	TBD	1	SAE CONNECTOR, OVER-MOLDED

- NOTES:**
- WIRING SHALL BE DONE IN ACCORDANCE WITH TABLE 1 WIRE RUN LIST.
 - MARKING REQUIREMENTS:**
 - LABELS SHALL BE MARKED IN ACCORDANCE WITH MIL-STD-130 AS APPLICABLE.
 - LABELS SHALL BE WHITE WITH BLACK TEXT.
 - LABELS SHALL BE PLACED WHERE SHOWN IN DRAWING.
 - ADHESIVE LINED WRAP-AROUND LABEL MAY BE USED.
 - LABELS SHALL BE MARKED WITH THE BELOW INFORMATION (REV MARKING PER PO):
PN: SN-28V-SAE REV. X
CAGE: 1HJX9
MFD: MM/YY

UNLESS OTHERWISE SPECIFIED:		NAME	DATE	<div>SupplyNet</div> <div>706 EXECUTIVE BLVD SUITE B VALLEY COTTAGE, NY 10989</div>	
DIMENSIONS ARE IN: INCHES		DRAWN	LS	10/17/17	TITLE: 28V POWER SUPPLY WITH SAE CONNECTOR
TOLERANCES: .XX: ± 0.03 .XXX: ± 0.005		CHECKED	TC	10/17/17	
ANGULAR: .X*: 1° .XX*: 0.5°		COMMENTS:			
BREAK EDGES: .005 - .020 FILLET: .005 - .020 SURFACE FINISH:					
GEOMETRIC TOLERANCING PER: ASME Y14.5 -2009		PROPRIETARY AND CONFIDENTIAL THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SUPPLYNET, INC. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SUPPLYNET INC. IS PROHIBITED.			
MATERIAL: SEE DRAWING NOTES		SIZE		DWG. NO.	REV
FINISH: SEE DRAWING NOTES		B		SN-28V-SAE	C
DO NOT SCALE DRAWING		CAGE CODE: 1HJX9		SCALE: NA	WEIGHT: SHEET 1 OF 1

REF. NUMBER: SN0502

SupplyNet 706 EXECUTIVE BLVD
SUITE B
VALLEY COTTAGE, NY 10989

TITLE:
**28V POWER SUPPLY
WITH SAE CONNECTOR**

SIZE DWG. NO. REV
B SN-28V-SAE C